

Date Issued:

**Expires After 90 Days*



COSEN VCS-310

Vertical Contour Saw

Dealer:
Address:
State:
Zip:
Phone:
Email:

End-User:
Address:
State:
Zip:
Contact Name:

The Cosen VCS-310 vertical contour saw is designed for all your tool room and production needs in mind. With its robust table, motor size, blade and capacity in a compact footprint; all your tool, die and plate work is now within reach inside your facility.



Control System:

The operator's control station, ergonomically located on the left side of the machine is convenient and user friendly. All operator controls are positioned on the top of the control box and clearly labeled for ease of operation. The electrical components are located inside the control box with the main lockout disconnect on the front of the control box for safety and easy maintenance.

Machine Features:

- Cast aluminum adjustable tilt table (plus/minus 15 degrees)
- Rubber capped cast wheels
- Inverter blade drive system which allows infinitely variable blade speeds
- Rip fence
- Built-in work light
- Tungsten carbide blade guides
- Manual blade tensioning via built-in hand wheel
- Table features two tee slots
- Band mist lubricator

Machine Specifications:

Maximum Cutting Capacity	Capacity Height	8.6"
	Capacity Throat	11.96"
Blade	Inverter Drive Speed	98 - 1279 fpm
	Size	8' 4.79" length- Min.1/4" wide
Motor	Blade Motor	1 HP
Weight		441 LBS
Power		220V, 1 PH, 60 Hz
Floor Space		35.03" x 25.78" x 60.5"
Work Bed Travel		NA

**Please note that machine design and specs can change without notice*

Investment Summary

VCS-310 Vertical Contour Saw.....

Included Accessories

- Built in work light
- Bi-metal saw blade
- Tool Box with tools
- Operation & parts manual
- Blade Welder (Welds up to ¾" blades only)

Shipping Cost -----	
----------------------------	--

* Shipping Cost is TBD. Please request a freight quote from logistics@cosensaws.com to add to the cost field if you would like Cosen to handle shipping.

TOTAL INVESTMENT -----	
-------------------------------	--

* Upon receiving equipment, customer is responsible for rigging, electrical hook-up, primary leveling, and any site improvements if needed.

** Optional Accessories Gallery*

Terms and Conditions

Cosen's policy is one of continuous improvements and thus reserves the right to change pricing, designs and specifications of any of our products, without notice or obligations, at any time.

Prices are FOB Port of Entry. The Purchaser is responsible for inland freight charges, rigging, electrical hook up, and all applicable taxes and duties.

Terms and Conditions: Cosen reserves the right to change pricing at any time without notice. Delivery dates are estimates and may vary from those quoted at time of order placement without any penalties.

Payment in full prior to shipment

Cosen reserves the right to specify additional conditions for payment.

WARRANTY (1 Year Parts)

New machines are warranted to be free from defects in workmanship and material for a period of One (1) year from the date of shipment by Seller, or Two Thousand and Eighty (2080) hours of usage, whichever occurs first. Products, which under normal operating conditions in Buyer's plant are defective in workmanship or material, will be repaired or replaced at the option of Seller. This warranty does not cover shipping freight charges for either the return of the defective part or for the shipping of the replacement or repaired part. Seller will have no obligation to repair or replace perishable parts, or materials or parts damaged by misuse, negligence or failure of Buyer to provide appropriate maintenance and service as stated in the operator's manual or industry standard and normally acceptable practices. This warranty does not apply if the machine has been altered or modified without prior written consent of Seller. Seller will not assume responsibility for products or components returned to Seller without prior consent, or for unauthorized repairs to its products. This warranty applies to electrical components to the Buyer only if the voltage supplied to the machine is within the stated voltage of the machine by +/- 10% and grounded at machine.

Accessories Supplied with Manufacturer's Equipment: The warranties available to the Buyer are those provided by the accessory manufacturer, if any, to the extent they are in force and effect. The ACCESSORY MANUFACTURER'S WARRANTY, if any, is exclusive and is in lieu of all other warranties whether written, oral or implied. In the case of components or units purchased by Seller including work holding devices, tool holders, motors and controls, the warranty shall not exceed that received by Seller from the supplier of such components or units, and Seller may require Buyer to seek warranty relief from such component supplier or manufacturer.

THE WARRANTY PROVIDED ABOVE SHALL BE THE SOLE WARRANTY PROVIDED TO BUYER BY SELLER. THE PARTIES AGREE THAT THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. ALL IMPLIED WARRANTIES INCLUDING THE WARRANTY OF MERCHANTABILITY AND WARRANTY FOR A PARTICULAR PURPOSE ARE EXPRESSLY DISCLAIMED.